

## PRODUCT DATA SHEET

### BRIGHTER PRO PAR 12 IP

The PAR type device is equipped with 12 multicoloured RGBWA + UV LEDs, 12W each, characterized by a long service life. LED PAR 12IP has a water resistance class of IP65, which allows for safe operation in all conditions. The device is produced in 3 variants of the lighting angle. The device is passively cooled and ensures absolutely silent operation.

#### **Electrical Parameters:**

**Maximum Power Consumption:** 144W

**Light Source:** 12x12W RGBWA+UV LED

**Estimated Light Source Lifespan:** 100 000h

**Power Supply Voltage:** 100-240V, 50/60Hz

#### **Features and Functions:**

**Beam angle:** 15°/25°/35°

**Operating Modes:** DMX512, Auto, Master/Slave, Sound Active

**Dimmer:** electronic 0-100%

**DMX Channels:** 7/11

#### **Physical Parameters:**

**Protection Level:** IP65

**Dimensions:** 220x270x260mm

**Weight:** 6 kg

**Power Supply Sockets Standard:** PowerCon TRUE1 (IN/OUT)

**DMX Sockets:** 3-pin

The above-mentioned device, which is the subject of this product specification, complies with the relevant requirements of Union harmonization legislation.

EN 55015:2013

EN 61547:2009

EN 61000-3-2:2006+A1:2009+A2:2009

EN 61000-3-3:2013